

LACTOHEX

LACTIC ACID AND CHLORHEXIDINE BASED TEAT DIP
READY TO USE
PRE AND POST
HIGH EMOLLIENT LEVEL
APPLY BY SPRAY, DIP OR FOAM

READY TO USE CHLORHEXIDINE GLUCONATE, LACTIC ACID AND GLYCERIN BIOCIDES

PRE MILKING.

1. USE THE PRODUCT DIRECT FROM THE CONTAINER.
2. FILL THE DIPPING OR FOAMING CUP 2/3 FULL AND IMMERSIVE EACH TEAT ENSURING THAT THE SURFACE OF EACH TEAT IS COMPLETELY COVERED. IF SPRAYING, ENSURE THE COMPLETE SURFACE IS COVERED.
3. LEAVE IN CONTACT FOR AT LEAST 30 SECONDS.
4. DRY TEATS WITH A SINGLE USE PAPER TOWEL TO REMOVE ANY RESIDUES.
5. APPLY CLUSTERS IMMEDIATELY.

POST MILKING.

1. USE THE PRODUCT DIRECT FROM THE CONTAINER.
2. FILL THE DIPPING OR FOAMING CUP 2/3 FULL AND IMMERSIVE EACH TEAT ENSURING THAT THE SURFACE OF EACH TEAT IS COMPLETELY COVERED. IF SPRAYING, ENSURE THE COMPLETE SURFACE IS COVERED.
3. DO NOT WIPE OFF.



PCS Number:

25LTR