

LACTIC ACID BASED TEAT DIP 15% EMOLLIENTS READY TO USE APPLY BY SPRAY, DIP OR FOAMING PRE AND POST

Contains 2.4% Lactic acid Contains 0.5% Alkyldimethylammonium chloride

READY TO USE LACTIC ACID, GLYCEROL BIOCIDE TEAT DISINFECTANT

PRE MILKING.

- 1. USE THE PRODUCT DIRECT FROM THE CONTAINER.
- 2. FILL THE DIPPING OR FOAMING CUP 2/3 FULL AND IMMERSE EACH TEAT ENSURING THAT THE SURFACE OF EACH TEAT IS COMPLETELY COVERED. IF SPRAYING, ENSURE THE COMPLETE SURFACE IS COVERED.
- 3. LEAVE IN CONTACT FOR AT LEAST 30 SECONDS.
- 4. DRY TEATS WITH A SINGLE USE PAPER TOWEL TO REMOVE ANY RESIDUES.
- 5. APPLY CLUSTERS IMMEDIATELY.

POST MILKING.

- 1. USE THE PRODUCT DIRECT FROM THE CONTAINER.
- 2. FILL THE DIPPING OR FOAMING CUP 2/3 FULL AND IMMERSE EACH TEAT ENSURING THAT THE SURFACE OF EACH TEAT IS COMPLETELY COVERED. IF SPRAYING, ENSURE THE COMPLETE SURFACE IS COVERED.
- 3. DO NOT WIPE OFF.



